

- KILLS ADULT FLEAS AND THEIR HATCHING EGGS
- PRECOR® INSECT GROWTH REGULATOR
- PREVENTS FLEA REINFESTATION FOR 7 MONTHS
- NO LINGERING ODOR OR STAINS
- EASY TO APPLY
- EFFECTIVELY BREAKS THE FLEA LIFE CYCLE

SPEGIMEN LABEL

ACTIVE INGREDIENTS:

(S)-Methoprene (CAS #65733-16-6)	0.09%
Permethrin (CAS #52645-53-1)	0.58%
OTHER INGREDIENTS:	99.33%
Total	100 00%

EPA Reg No. 2724-454

KEEP OUT OF REACH OF CHILDREN CAUTION

See additional precautionary statements

PRECOR® Plus Fogger (PRECOR®) kills adult fleas and their hatching eggs. PRECOR® Insect Growth Regulator, the ingredient in PRECOR®, provides 7 months' protection by preventing eggs from ever developing into biting fleas. PRECOR® enables you to fill an entire room with insect-killing fog while you are away.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not use in non-enclosed non-food/feed areas nor in food areas of food/feed handling establishments (i.e., restaurants, etc.) including places in which exposed food is held, processed, prepared, or served. Non-food/feed areas of food/feed establishments are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling). Not for use in USDA meat and poultry plants. In the home, all food processing surfaces and utensils should be

covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

SHAKE WELL BEFORE USING

- 1. Vacuum thoroughly before fogging. To ensure unobstructed flow of fogger mist, open inside doors and cabinets. Remove or cover exposed food, dishes, utensils, food preparation equipment, and surfaces. Remove pets and birds and remove or cover (and turn off) aquariums. Close outside doors and windows. TURN OFF ALL IGNITION SOURCES SUCH AS PILOT LIGHTS (SHUT OFF GAS VALVES), OTHER OPEN FLAMES, OR RUNNING ELECTRICAL APPLIANCES THAT CYCLE OFF AND ON (i.e., REFRIGERATORS, THERMOSTATS, etc.). Call your gas utility or management company if you need assistance with your pilot lights.
- 2. Use 1 container for each 6000 cubic feet of area (a room 30' X 25' with an 8' ceiling). DO NOT USE MORE THAN 1 FOGGER PER ROOM. DO NOT USE IN SMALL ENCLOSED SPACES SUCH AS CLOSETS, CABINETS, OR UNDER COUNTERS OR TABLES. DO NOT USE IN A ROOM 5' x 5' OR SMALLER; INSTEAD, ALLOW FOG TO ENTER FROM OTHER ROOMS.
- 3. Remove all motor vehicles before fogging garage.
- 4. Elevate fogger by placing on stand or table covered by newspaper in center of room to be fogged. Newspapers should be spread on the floor for several feet around area of release.
- 5. Before activating, tilt can away from face (container sprays straight up). Press down firmly on edge of actuator tab until it locks into place.

- 6. After activating fogger, leave room or house at once. Keep treated area closed for at least 2 hours, then open all doors and windows and allow treated area to air for 1 hour before returning.
- 7. For best results, spot treat with Zoecon® premise products under beds, furniture, or obstructed areas where fogger mist may not penetrate.

STORAGE AND DISPOSAL

STORAGE

Store in a cool, dry area away from heat or open flame.

DISPOSAL

Do Not Puncture or Incinerate!

IF EMPTY

Place in trash or offer for recycling if available.

IF PARTLY FILLED

Call your local solid waste agency for disposal instructions.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

USE ONLY WHEN AREA TO BE TREATED IS VACATED BY HUMANS AND PETS.

Harmful if inhaled, swallowed, or absorbed through the skin. Avoid breathing vapors or spray mist. May cause eye irritation. Avoid contact with eyes, skin, and clothing. Wash thoroughly with soap and water after using. Avoid contamination of food, foodstuffs, and food preparation areas. Leave room or house at once after activating fogger. If pet is exposed to wet surface, wash fur with soap and water.

FIRST AID		
Call a poison control center or doctor immediately for treatment advice.		
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. 	
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	
IF INHALED	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. 	

FIRST AID (CONTINUED)

IF SWALLOWED

- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-248-7763 for emergency medical treatment information. Contact veterinarian if pets are exposed during application.

Note to Physician/Veterinarian: May present aspiration hazard.

HIGHLY FLAMMABLE INGREDIENT INGREDIENTES ALTAMENTE INFLAMABLE



PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting. THIS PRODUCT CONTAINS A HIGHLY FLAMMABLE INGREDIENT. IT MAY CAUSE A FIRE OR EXPLOSION IF NOT USED PROPERLY. FOLLOW THE "DIRECTIONS FOR USE" ON THIS LABEL VERY CAREFULLY.

WARRANTY

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

For information or in case of emergency, call 1-800-248-7763 or visit our Web site: www.zoecon.com.

Wellmark International
1501 East Woodfield Road 200W

Schaumburg, Illinois 60173

ZOËCON Professional Products